

Island Lake Manor Water System ID #36180N													
Location Information		System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification (required)	Other Potential Sources of Lead		Lead Service Line Replacement (LSLR)	
Location Identifier (required)		System-Owned Portion Service Line Material Classification (required)	If Non-Lead in Column D, Was Material Ever Previously Lead?	Basis of Material Classification (required)	Notes	Customer-Owned Portion Service Line Material Classification (required)	Basis of Material Classification (required)	Notes		Is there a Lead Connector?	Is there Lead Solder in the Service Line?	Date of System-owned LSLR	Date of Customer-owned LSLR
Street Address	Other Location Identifier												
Water systems must track addresses of all service lines in their internal inventory. If the system does not use addresses for their location identifier, other options could include a unique ID, parcel number, landmark, intersection, block, or other details to specify service line locations.		Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Dropdown list. Select Yes, No, or Don't know. Important for determining if downstream/ customer-owned galvanized service line requires replacement	Select option from drop down list. If "Other," describe in the Notes field	Use this field for documenting additional relevant information.	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Select option from drop down list.	Use this field for documenting additional relevant information.	Select the proper classification using dropdown list and "Classifying SLs" tab.	For example, lead gooseneck or pigtail where the water main is connected to the service line	Select Yes, No, or Don't Know		
40 E NORTH HAVEN		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring	No	No		
151 E FAIRFIELD CT		Non-Lead plastic	No	Records		Non-Lead plastic	Records		Non-Lead	No	No		
21 E FAIRFIELD CT		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
250 E FAIRFIELD CT		Non-Lead plastic	No	Records		Non-Lead plastic	Records		Non-Lead	No	No		
81 E HAVEN CT NORTH		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
61 E ROCKWOOD DR		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
10 E WYSTERIA CIRCLE		Non-Lead plastic	No	Records		Non-Lead plastic	Records		Non-Lead	No	No		
100 E HEATHERWOOD CT		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
71 E HEATHERWOOD CT		Non-Lead plastic	No	Records		Non-Lead plastic	Records		Non-Lead	No	No		
91 E FAIRFIELD CT		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
70 E WYSTERIA CT		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
210 E FAIRFIELD CT		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
171 E WESTWOOD DR		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
20 E WYSTERIA CT		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
51 E WYSTERIA CT		Non-Lead galvanized	Don't know	Field inspection		Non-Lead plastic	Field inspection		Galvanized Requiring Replacement	No	No		
40 E HEATHERWOOD COURT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
221 E WESTWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
100 E WESTWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
140 E FAIRFIELD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
41 E ROCKWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
60 E WYSTERIA CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
140 E WESTWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
11 E WYSTERIA CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
61 E HEATHERWOOD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
41 E FAIRFIELD COURT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
51 E HEATHERWOOD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
251 E FAIRFIELD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
71 E WYSTERIA CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
211 E FAIRFIELD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
170 E WESTWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
51 E WESTWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
70 E FAIRFIELD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
150 E FAIRFIELD CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
91 E WYSTERIA CT		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		
60 E HAVEN CT N		Unknown- unlikely lead	No	Statistical method		Unknown- likely lead	Statistical method		Unknown	No	No		

[illegible]