

Lakewood Heights Water System ID #17999L													
Location Information		System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification (required)	Other Potential Sources of Lead		Lead Service Line Replacement (LSLR)	
Location Identifier (required)		System-Owned Portion Service Line Material Classification (required)	If Non-Lead in Column D, Was Material Ever Previously Lead?	Basis of Material Classification (required)	Notes	Customer-Owned Portion Service Line Material Classification (required)	Basis of Material Classification (required)	Notes		Is there a Lead Connector?	Is there Lead Solder in the Service Line?	Date of System-owned LSLR	Date of Customer-owned LSLR
Street Address	Other Location Identifier												
Water systems must track addresses of all service lines in their internal inventory. If the system does not use addresses for their location identifier, other options could include a unique ID, parcel number, landmark, intersection, block, or other details to specify service line locations.		Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Dropdown list. Select Yes, No, or Don't know. Important for determining if downstream/ customer-owned galvanized service line requires replacement	Select option from drop down list. If "Other," describe in the Notes field	Use this field for documenting additional relevant information.	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Select option from drop down list.	Use this field for documenting additional relevant information.	Select the proper classification using dropdown list and "Classifying SLs" tab.	For example, lead gooseneck or pigtail where the water main is connected to the service line	Select Yes, No, or Don't Know		
91 E WATERTHRUSH		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
80 E WATERTHRUSH LN		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
285 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
940 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
421 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
791 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
622 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
430 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
88 E COZY CREST LN		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
882 E CEDAR ST		Non-Lead plastic	No	Records		Non-Lead plastic	Records		Non-Lead	No	No		
770 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
393 E CEDAR ST		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
71 E SPARROW CT		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
1330 E ALDERWOOD RD		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
1324 E ALDERWOOD RD		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
1322 E ALDERWOOD RD		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
70 E WATERTHRUSH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
69 E WATERTHRUSH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
60 E WATERTHRUSH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
929 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
61 E WATERTHRUSH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
881 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
882 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
880 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
790 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
740 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
101 E GOLDFINCH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
90 E GOLDFINCH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
80 E GOLDFINCH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
731 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
60 E GOLDFINCH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
30 E GOLDFINCH LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
81 E COZY CREST LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
86 E COZY CREST LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
84 E COZY CREST LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
20 E COZY CREST LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
710 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
621 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
721 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
91 E SPARROW CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
611 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
620 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
410 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
391 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
11 E BLUE HERON REST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		

51 E BLUE HERON REST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
91 E BLUE HERON REST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
360 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
371 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
367 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
320 E CEDAR ST		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		
80 E LYLE LN		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Non-Lead	No	No		