

Shadowood Water System ID #135840													
Location Information		System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification (required)	Other Potential Sources of Lead		Lead Service Line Replacement (LSLR)	
Location Identifier (required)		System-Owned Portion Service Line Material Classification (required)	If Non-Lead in Column D, Was Material Ever Previously Lead?	Basis of Material Classification (required)	Notes	Customer-Owned Portion Service Line Material Classification (required)	Basis of Material Classification (required)	Notes		Is there a Lead Connector?	Is there Lead Solder in the Service Line?	Date of System-owned LSLR	Date of Customer-owned LSLR
Street Address	Other Location Identifier												
Water systems must track addresses of all service lines in their internal inventory. If the system does not use addresses for their location identifier, other options could include a unique ID, parcel number, landmark, intersection, block, or other details to specify service line locations.		Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Dropdown list. Select Yes, No, or Don't know. Important for determining if downstream/ customer-owned galvanized service line requires replacement	Select option from drop down list. If "Other," describe in the Notes field	Use this field for documenting additional relevant information.	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Select option from drop down list.	Use this field for documenting additional relevant information.	Select the proper classification using dropdown list and "Classifying SLs" tab.	For example, lead gooseneck or pigtail where the water main is connected to the service line	Select Yes, No, or Don't Know		
260 SE SUNRISE DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
21 SE COPPER MOUNTAIN CT		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
21 SE MT WASHINGTON CT		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
101 SE SHADOWOOD DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
20 SE SUNRISE DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
61 E SUNRISE DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
31 SE SHADOWOOD BLVD		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
60 SE SUNRISE DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
171 SE SUNRISE DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
40 SE MT WASHINGTON CT		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
231 SE SHADOWOOD DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
20 SE SHADOWOOD DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
240 SE SHADOWOOD DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
200 SE SUNRISE DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
200 SE SHADOWOOD DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
270 SE SHADOWOOD DR		Non-Lead plastic	No	Field inspection		Non-Lead plastic	Field inspection		Non-Lead	No	No		
31 SE SUNRISE DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
80 SE SHADOWOOD BLVD		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
151 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
71 SE SUNRISE DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
60 SE COPPER MOUNTAIN CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
60 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
51 SE MT WASHINGTON CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
40 SE SHADOWOOD BLVD		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
61 SE MT ELLINORE CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
151 SE SUNRISE DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
211 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
60 SE MT ELLINORE CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
281 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
320 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
191 SE SUNRISE DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
230 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		

[illegible]

70 SE MT ELLINORE CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
191 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
20 SE MT ELLINORE CT		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
220 SE SUNRISE DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
50 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
140 SE SUNRISE DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
170 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
300 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
41 SE SHADOWOOD BLVD		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		
120 SE SHADOWOOD DR		Unknown- unlikely lead	No	Statistical method		Unknown- unlikely lead	Statistical method		Unknown	No	No		